

This issue contains JANUARY INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 12

January 31, 1947

No. 4-A

MEDICAL CATALOG CARDS AVAILABLE TO LIBRARIES

Beginning October 1, 1946, catalog entries prepared by the Army Medical Library will be printed and made available for distribution by the Library of Congress. These entries, prepared according to simplified cataloging rules, will carry the subject headings and the new classification numbers of the Army Medical Library.

In connection with this arrangement, the Library of Congress decided to establish a special Medical Series of printed cards for all medical publications cataloged by the Army Medical Library or the Library of Congress. The cards will bear the abbreviation Med before the card number. This series is established for the benefit of medical libraries, medical schools, and others interested in medical literature and bibliography who will be able to subscribe for the series at a relatively low cost.

Subscriptions for the cards, and all communications regarding them, should be addressed to the

Card Division,
Library of Congress,
Washington 25, D.C.

THE ARMY MEDICAL LIBRARY

Washington, D. C.

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., \$3.00 per year (\$3.75 foreign) 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents at the above address.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the War Department. Lists all articles of medical interest contained in current journals received. Subject-indexes provided monthly. Exchange invited.

ABDO
30
- wo
ABNO
11
ABOI
12
87
ABSO
ACCE
ACE
ACE
ACH
ACID
an
hi
ca
ch
56
66
ol
pl
ACID
ACID
th
ACN
ACT
ACT
ADA
ADD
ADE
ADH
ADH
ADO
ADR
1
6
ADR
4
to
AGA
AGG
1
AGR
AIR
AIR
AIR
AKR
ALE
ALO

SUBJECT INDEX

for

Vol. 12 Nos. 1-4 (pp.1-126)

January 1947

(Based on the schedule of subject-headings
(used by the American Medical Association's
(Quarterly Cumulative Index Medicus)

- ABDOMEN, abnorm.,81e; acute conditions,
30n,80w,81a,e; surgery,21f,81e,1,82s,108c;
wounds & injur.,73c,81d
- ABNORMALITIES & DEFORMITIES, etiol.,65b,
115s; in cattle,56o
- ABORTION,97g; cpl. & seq.,97f; criminal,97e,
122f; etiol. & pathogen.,68d; infectious,56p,
87d,e,f,1241,s; prev.,48p
- ABSCCESS, subphrenic,271,j; thigh,75q
- ACCIDENTS,106q,1071,w;108g
- ACETANILID, metab.,46p
- ACETONE,eff.,106n
- ACHORION,10c
- ACID, acetic,6o; adenylpyrophosphoric,19m;
aminoacetic,95j; aminobenzoic,117j; amino-
hippuric,6s; aspartic,6c; benzoic,12p;
caprylic,47j; chlorophenoxyacetic,35w;
chromic,49d; citric,58g; eff.,106n; fatty,
5t,15s,33t,47j,67n; glucuronic,12p; glutamic,
6c,t,38k; hyaluronic,3h,4n; lactic,20i;
oleic,7a; penicillic,46u; phytic,3m,4h,o;
pterylglutamic,26g; pyruvic,4b,c
- ACID BASE EQUILIBRIUM,43h,45w,101d
- ACIDOSIS, etiol. & pathogen.,106n,116u;
therapy,116c
- ACNE, rosacea,29o
- ACTINOMYCES,57s,v
- ACTINOMYCOSIS,69k
- ADAPTOMETERS,40m
- ADDISON'S DISEASE, racial asp.,16s
- ADENOMA sebaceum,9u,10u
- ADHESIONS, abdominal,80i,81g,99c,122b
- ADHESIVE TAPE, allergy,110o
- ADONITOXIN,49c
- ADRENAL PREPARATIONS, eff.,34-1,77k,101a,
112w,114a; pharmacol.,44s; therapy,5s,8b,
69g,116k; toxicity,47p
- ADRENALS, dis.,25e; pharmacol.,47p; physiol.,
4j,13d,17k,35s,101a; secretion,25e,90i,j;
tumors,69e
- AGAR, 57i
- AGGLUTINATION, 11u,16t,35n; bacterial,15t,
123q; hem-, 11o,19t,35b,c,108w
- AGRICULTURE,94c,95b,c,d
- AIR, bacteriol.,79e,80a; pressure,2k,1,25k
- AIRCRAFT, oxygen supply systems,2m
- AIR RAIDS,72u
- AKRICHIN, toxicity,70q,r
- ALBUMIN,34v
- ALCOHOL, determ.,11s,77a; eff.,47t,106q
- ALCOHOLICS ANONYMOUS,71q
- ALCOHOLISM,72b,106q,1071,w,108g; diagn.,39j;
prev.,65c,71q; therapy,72c
- ALDESTAN,24b
- ALGIN,110s
- ALKALI, therapy,116c
- ALKALINE SOLUTION, eff.,34f
- ALKALOIDS,49b
- ALLIUM, 90m
- ALLODERMANYSSUS sanguineus,53h
- ALLOXAN,102b; eff.,33m,u,90k,102s
- ALOPECIA,112,1,n,99b,112h; etiol. & pathogen.,
33d; therapy,9t
- ALTITUDE, high,2k,1,25k,36b
- ALUMINUM, chem.,49r; determ.,108p; hydroxide,
35h
- AMAROECIUM,89j
- AMBERGRIS,44h
- AMBOCEPTORS,26r
- AMEBIASIS,12t,37b; epidemiol. & statist.,18b;
therapy,18b,23v
- AMERICAN MEDICAL ASSOCIATION, history,67m
- AMIDINES, therapy,18f
- AMINES,35t,46u,471,n; eff.,90p,46f; sympathomi-
metic,45i,105c
- AMINO ACIDS, 3r,4m,u,7a,44s,62j; chem.,4v,6b;
determ.,6j; metab.,6c; therapy,76v,102o
- AMINO PHENYL SULFONE, 55m,n
- AMINOPROPIOPHENONE,47r
- AMMONIA & AMMONIUM COMPOUNDS,25h,
58b,79k; chlorides,91o; ethylammonium bromide,
46v; quaternary salts,76w
- AMNIOTIC FLUID,108i
- AMPHETAMINE, eff.,2n
- AMYLAASE,4a
- AMYLOIDOSIS,80k
- ANAPHYLAXIS & ALLERGY,1d,g,10h,27a,29u,
66q,67t,100-1; etiol. & pathogen.,109a; 111-1,
111o; experimental,35r; manifestations,111-1,
113v; serum & vaccine,66q,104f; therapy,35j,
69g
- ANAPLASMOSIS,124-1
- ANATOMY, methods,1q
- ANCISTRICOMIDAE,89u,v
- ANDROGENS, determ.,3k; eff.,15u,92r,102c,
116-1; therapy,28e
- ANEMIA, aplastic,70e; etiol. & pathogen.,11o,
95t,105f; hemolytic,17q,46u; infectious,124g;
splenic,12u,17m; therapy,26g,31t,109w

- ANEMIA, PERNICIOUS, anti-factor, 48w; metabolism, 104g
- ANESTHESIA, 1w, 27s, 34b; adrenaline, 8b; barbital, 21f, 96r; cpl. & seq., 2a, 22d, 96r; curare, 21f, 31n, 34e; eff., 104c, 113v; ether, 34e; fatalities, 9j, 117f; general, 2b, 8s; history, 8o, p, q, t, 29q, 30t, 100n; in China, 2b; in dentistry, 7q, 8r, s; in gyn. & obst., 53n, 65i, 99m, v; in pediatrics, 117g; induced pain, 104-l; local, 8q, 46n, 49j; mandibular, 8r; procaine, 108c; rectal, 75d; spinal, 14t
- ANEURYSM, aortic, 32v, 59t, 60d, 65n; arteriovenous, 114f; carotid, 114e, f; caval, 32v; cerebral, 39u, 67q; cirsoid, 81v
- ANGINA, septic, 79v
- ANGINA PECTORIS, therapy, 63m
- ANILINE DYES, toxicity, 98n
- ANILINE & ANILINE DERIVATIVES, metabolism, 46p
- ANIMALS, breeding, 125c; diseases, 123h, 124c; experimentation, 34d, 35k, 45q, 72-l
- ANKLE, ankylosis, 69s; wounds & injuries, 23n
- ANOSOGNOSIA, 38u
- ANTHRAQUINONE, 49b
- ANTHRAX, bacilli, 87o; prev. & control, 79k; therapy, 16g, 33n
- ANTIBIOTICS, 19q, 23m, 57s, v, 58j, k, n, 71j, t, 59b, 109b, 111b; classification, 57s; eff., 57t, 108u
- ANTIGENS & ANTIBODIES, 6u, 90b; formation, 95j; heterophile, 34w
- ANTIMONY, eff., 60b; therapy, 36d, 47b, 51w, 55o; toxicity, 78e
- ANTISEPSIS & ANTISEPTICS, 58n
- ANUS, artificial, 98h; cancer, 61s, 62-l, m, n, o, p; dis., 99q, u; fissure, 64o; surgery, 69q; wounds & injuries, 61s
- AORTA, ageing, 14a; rupture, 59t; syphilis, 80e
- AORTIC VALVE, rupture, 68p
- APHASIA, 40e, 72r
- APPENDECTOMY, technic, 101h
- APPENDICITIS, 61b, 81o; cpl. & seq., 37i; diagn., 62d; therapy, 81e
- APPENDIX, mucocoele, 82-l
- AQUEOUS HUMOR, 38g, 111m, 112p, r
- ARACHNODACTYL, 19b
- ARACHNOID, infl., 113h
- ARGINASE, 5f
- ARGININE, 5e, 6r
- ARISTOTLE, 62u
- ARMED FORCES PERSONNEL, female, 72n
- ARON'S TEST, 97b
- ARRHYTHMIA, auricular flutter, 60a, 107q; etiol. & pathogen., 101o; experimental, 47j; therapy, 35t
- ARSENIC, 4e; chemistry, 3n; therapy, 70b; toxicity, 4c, 1, 77t, u, v, 78a, 80d
- ARSINE, 4d; toxicity, 4g, 46q
- ARTERIES, 90s; basilar, 38t; infl., 34h; pulmonary, 103q
- ARTERIOSCLEROSIS, cpl. & seq., 113e; coronary, 21v, 97i, -- in Negroes, 27m; experimental, 43a; retinal, 13q
- ARTHRITIS, therapy, 18g
- ARTHRITIS, RHEUMATOID, 63u; blood, 26i; etiol. & pathogen., 16f; therapy, 18f, 29f
- ASCITES, 105k
- ASCORBIC ACID, 94c, u, w, 95d, f; chem., 110v; deficiency, 5h; determ., 80e; metabolism, 3q, 4i, 5p, s, 6g, 12k, 18u, 65m; pharmacol., 44s; prep., 49i; sources, 80f; therapy, 60w, 97u
- ASPERGILLIN, 111b
- ASPERGILLUS, 58n; niger, 59b
- ASTHMA, cpl. & seq., 80j; epidemiol. & statist., 1h; etiol. & pathogen., 87m; therapy, 77d
- ASTRAGALUS, synostosis, 69s
- ATAXIA, cerebellar, 22f
- ATHETOSIS, 22i, 43q
- ATHLETICS, 60b
- ATOMIC BOMB, 31s
- ATOMIC ENERGY, 31s, 105v
- ATROPHY, muscular, 73t
- ATROPINE, 38d; eff., 77k, 36a
- AUSCULTATION, 70i
- AUTOMOBILISTS, 99c
- AVIATION & AVIATORS, accidents, 2h, i; med., 2e, k, l, n, 73q; parachutes, 2g; physiol. & pathol. eff., 2k, l, n, 35e, 36a, b, 103-l; psychol. asp., 2i, 78h; tests, 2n, 78h; wounds & injuries, 2g, h
- BACKACHE, 53u; etiol. & pathogen., 100e; therapy, 63o
- BACTEREMIA, 27d, 57h
- BACTERIA, 15t, 57s; abortus & mellitense group, 57i, 58c, 124i; acetobacter, 59a; acid fast, 56b; actinoides, 88b; aerogenes capsulatus, 15a; anaerobic, 94g, h, j; azotobacter, 58b; bronchi-septics, 101j; clostridium, 58u; coli, 4r, 15s, 19p, 57e; culture, 33t, 57f, 58h, 111c; culture mediums, 34u; delbrückii, 58v; differentiation, 57j; enterococci, 58c; erwinia, 57d; erysipelo-thrix, 56h; fusiformis, 111d; genetics, 57u; growth, 7a; Hansenula, 57d; influenza, 116t; lactic acid group, 4s, 7a, 58j, v; micrococci, 94p, u; mucosus capsulatus group, 101i; myco-bacteria, 87m; pleuropneumonia-like organisms, 16f; proteus, 6u; pseudomonas, 58i; serratia, 58h; subtilis, 110n; therapeutic use, 109b; typhoid group, 57g; vibrio, 56w, 123q
- BACTERIOLOGY, 72r; methods, 57e
- BACTERIOPHAGE, 57o; genetics, 95r; staphylo-coccal, 57m, 58e
- BALJET REACTION, 46g
- BALNEOLOGY & BALNEOTHERAPY, Baden, 113c
- BARBITAL COMPOUNDS, eff., 47t; toxicity, 28g, 47o
- BARLEY, 4a
- BARTHOLIN'S GLANDS, 27b
- BARTONELLA, 21s
- BELLADONNA, 38d
- BENEDICT-ROTH APPARATUS, 26o
- BENZENE, toxicity, 79e
- BENZHYDRYL ALKAMINE ETHERS, eff., 33i; therapy, 20p
- BENZYLAMINE, 35t
- BERIBERI, 18r; in infants & children, 19d
- BERMAN LOCATOR, 111-l
- "BERYLLUS" 40n
- BEZOARS, in animals, 56s, 88f
- BIBLE, 14d
- BIBLIOGRAPHY, 62v, u, 89j
- BILE, 48c; acids & salts, 7b, 35d, 101d
- BILE DUCTS, stricture, 32g, 43p; tumors, 65o
- BILIARY TRACT, calculi, 82m; dis., 107u; drainage, 102t; roentgenography, 61g; surgery, 69v, 121g, 122e
- BILIRUBIN, 35d
- BIOLOGY, history, 62t
- BIOPSIES, 17a, 103h
- BIRDS, dis., 124u
- BIRTH CONTROL, 27a, 99o, 106w
- BISMUTH, therapy, 23h; toxicity, 78e
- BLADDER, measurement, 105p
- BLEULER, 71o
- BLINDNESS, etiol. & pathogen., 114s; prev., 42a; rehabilitation, 115f; therapy, 113a
- BLOOD, 89g, 103q; alloxan, 102b; amino acids, 6d; ascorbic acid, 6g, 12k; calcium, 26q; carbon dioxide, 25o; carbon monoxide, 6h; carotene, 6k, 17q; cells, 90v; chem., 35h; cholesterol, 107d; cholinesterase, 108d; circulation, 17r, 21s, 24c, 59w, 91r, 101u,

- 103s,104g; coagulation,6-1,7d,17d,19s, 26m,42u,60h,103i,w,107n,111b,114w; count,110h; exam.,11v,w,71d,103f; fats & lipoids,4q,5r,26i; fibrin,33s; fibrinogen, 7d; formation,16q,19i,33w; fuctose,4t; galactose,25s; gases,102i; groups,34w, --Rh factor,18n,19a,24o,27f,65v,72p; hormones,13g; in animals,4t,20b,87j; iron,26h; ketone bodies,106n; lipase,84g; nitrogen,12f,17r,102c; oxygen,25o,108v; penicillin,32k,35u; picture,105e; plasma, 6d,46t,111b; platelets,19i,57h,105d; potassium,91u,109c; proteins,6d,1,q,7d, 12f,15a,17b,47j,84v,102h,103f,u,104o,108e; prothrombin,7d,103d; purine,103c; quina- cine,46w; racial asp.,19a; reaction,106n; resorption,69m; salicyl cpds.,93m; sedi- mentation,42m,103g; sodium,26p; volume, 17r,101v,103u,--in pregnancy,108k
- BLOOD PRESSURE**,33o; determ.,114n; low, 71t; pharmacol.,45i,46f,77k; venous,104u
- BLOOD PRESSURE, HIGH**, etiol. & pathogen., 27h,65p,103k,104a; in children & young, 107t; manifestations,13q,22j,114n; meta- bolism,63-l; pathol.,19k; surg.ther.,69w; therapy,30v,101s,t
- BLOOD SUGAR**, determ.,26r,104b; hypoglycemia, 26r,43v,--in pregnancy,88v; in animals,5i; in pregnancy,5i; venous,31-l
- BLOOD TRANSFUSION**, apparatus,11v,110g; cpl. & seq.,17o,53a,86f,103s; in gynecol. & obstetrics,14n; indications,61a,66v,84d, 86d; placental blood,69m; plasma,99t; substitutes,17o,93m,101v
- BLOOD VESSELS**,90o,91j; ageing,14a; anasto- mosis,90s; markings,103g; pharmacol., 77s
- BODY**, weight changes,36b
- BODY-SCHEME**,38u
- BONES**, dis.,21n,96v; growth,1r,3v; marrow, 11u,19i,27k,63q,106m; syphilis,42n; trans- plantation,82u; tuberculosis,68a; tumors, 42n,54-l,m,t,73o; wounds & injuries,86i
- BORON COMPOUNDS**, eff.,35t
- BOTULISM**, pathol.,25g
- BRAIN**, abscess,112a,115j; blood supply,38t, 40b; cortex,34e,40i; dis.,85b; electroencephalo- graphy,39j,53v,74r,109c; localization of func- tions,92p; metabolism,4b; pathol.,39r,40b; surgery,39d,p; tumors,59i,74u,96p,q
- BRANCHIAL APPARATUS**,91-l
- BREAD**,4o
- BREAST**, cancer,15g,82t,121q,v; infl.,20o; pain,71q; tumors,54q
- BRENNECKE-SCHROEDER DISEASE**,98g
- BROMIDE & BROMINE COMPOUNDS**, determ., 110r
- BROMSULFALEIN**,35d
- BRONCHI**, anat. & histol.,89c; calculi,115-l; roentg.,80j; tumors,32o,q,r,s
- BRONCHIECTASIS**,122s; etiol. & pathogen.,82e
- BRONCHITIS**, infectious of chickens,87-l; parasitic in calves,88b
- BUCKWHEAT**,87p
- BURNS**, blood,81q,105b; kidneys,102k; shock, 81r; therapy,75p,81q,98f,100d
- BURSA**, infl.,80q,122d
- CABBAGE**,94q
- CADMIUM**, toxicity,78b,c
- CAFFEINE**, eff.,91e
- CALCIFEROL**, therapy,5k
- CALCIFICATION**,28m,74h,80o; etiol. & pathogen., 43c,103b
- CALCIUM**,4o,90c; metabolism,3m,v,4h; prep., 45u; therapy,5k
- CALCULATORS**,11v
- CANCER**,1s,66n; chem.,5e,f; chorionic,37h; diagnosis,36g,59j; experimental,93h,107e; in animals,111d; metabolism,93g; metastases, 42s; precancerous conditions,11g,i; prev. & control,26a; therapy,38p,54j,u
- CANDIDA**,58o
- CANNABIS**, toxicity,47a
- CAPILLARIES**, permeability,5j,91r,102n,103m, 105a,110n,112r,--in pregnancy,14u
- CARBIDE WASTE**,79j
- CARBON**,6o
- CARBON MONOXIDE**,6h
- CARBON TETRACHLORIDE**, toxicity,46t
- CARBOWAX**,17i
- CARDIOVASCULAR DISEASES**,24c,103s; pathol., 43a; syphilis,123e
- CARDIOVASCULAR SYSTEM**, eff.drugs,77r; function tests,2n,20q; physiol.,35f,66p,108k; roentg.,17u
- CAROTENE**,3t,20b,94w,95c; metabolism,34p
- CARTILAGE**,anat. & histol.,1m
- CASTRATION**,13j
- CATARACT**, electric,113h; etiol. & pathogen., 113s; extraction,111s; in children,30b
- CATHARTICS**,pharmacol.,45-l
- CATS**, diseases,88u
- CATTLE**, dis.,56v,124p,w
- CELLS**,38f,89p,92m; autolysis,19v; bubble forma- tion,91s; division,34s,89q,91b,e,i,92n,u; inclu- sions,57n,92w; morphol.,91e; nuclei,49p; pathol.,26d; physiol.,34f,107n; pigmentary, 89r,93c; secretory,91-l
- CENTRIFUGE**, human,2e
- CEPHALOMETERS**,8-l
- CERAMICS**, dental,7r
- CERCARIA**,filtration,52o
- CEREALS**,94c; proteins,95b; vitamins,95b,c,d
- CEREBROSIDES**,17m
- CEREBROSPINAL FLUID**, tests,93o
- CESAREAN SECTION**,14r,96g,97t; cpl. & seq., 408h; veterinary,56o
- CETYL PYRIDINIUM CHLORIDE**, standardization, 57h
- CHANCROID**, immunity,104j
- CHAOS**,91b
- CHARPY METHOD**,96u
- CHEIROTOXIN**,49d
- CHEMISTRY**,19m,30v,68o,90f,92b; methods, 38f; solubilities,5m
- CHEMOTHERAPY**,16d,45a,b,c,102p,106u,116a; in dentistry,9d
- CHICKENPOX**, epidemiol. & statist.,106o
- CHILD WELFARE**,23g,24h,65v; in Great Britain, 24w
- CHILDREN**, growth & development,116-l; legal protection,39k; psychol.,78q,r,116e
- CHLORAMINE**,79k
- CHLORIDES**,110r; metabolism,63-l
- CHLORINE & HYPOCHLORITE derivatives**,eff., 38i
- CHLOROETHYL SULFIDE**,25t; eff.,5a,b,34s,49t; metabolism,5c,d; therapy,31t
- CHLOROETHYLAMINE HYDROCHLORIDES**,eff., 92t
- CHLOROFORM**,49q; eff.,47e
- CHLORO PHENYL CHLOROETHANE (DDT)**, 3c,d,120q,r,123r; allergy,52v; toxicity, 16v,36c,88k; veterinary use,88i,j
- CHLOROPHYLL**, therapy,28g,102n
- CHOLERA**, immunity,16j; vibrio,16k
- CHOLESTEROL**,35d; eff.,3u,4q
- CHOLINE**, acetyl-,7c,46t,92b; eff.,47m; metabolism, 33-l,107r; pharmacol.,46-l
- CHOLINESTERASE**,47e,k,90g,91g,92b

- CHONDRODERMATITIS nodularis, 11f
 CHOREA, 18p
 CHOROID, blood supply, 19k; tumors, 114i, q
 CHROMIUM, toxicity, 78e
 CHROMOSIN, 49p
 CHROMOSOMES, 89m, q, 92-1, o, 95n; age variation, 13w; haploidy, 90n; polyploidy, 90m, 91p
 CHRYSANOL, 86v
 CILIATA, 89u, v
 CITRININ, 47c
 CITRULLINE, 6r
 CLONORCHIASIS, 42o
 CLOVER, 124b
 COAL, 108n, p, q, r
 COBALT, deficiency, 125d
 COCARBOXYLASE, 19v
 COCCIDIOIDOMYCOSIS, 17p, 67j
 COCKROACHES, 3d
 COFFEE, eff., 13v
 COLCHICINE, eff., 15u, 92u
 COLD, eff., 11o, 25j, 66p, 91r
 COLD PRESSOR TEST, 114n
 COLITIS, hemorrhagic, 61v, 62a, g; ulcerative, 12r, 16f
 COLLAPSE, 103s
 COLON, abnorm., 61p; cancer, 28f, 61r, 66v, 69k; dilatation, 61q; roentg., 82k; surgery, 61c, q, 81j, 98h, 100-1; tumors, 43s, 61c, 72o; ulcers, 61d; wounds & injuries, 74d
 COLOR PERCEPTION, 114v
 COLOSTOMY, 22f, 98h
 COLOSTRUM, 5t
 COMMUNICABLE DISEASES, 19n; epidemiol. & statist., 37n
 CONGO RED, 105a
 CONJUNCTIVA, edema, 113v
 CONJUNCTIVITIS, Parinaud's, 112i; therapy, 98j
 CONVALESCENCE, 17r, 72e
 CONVULSIONS, in infants & children, 115v; therapeutic, 33g, 73o, 97q, 104q, r
 COOKING, 94k, u
 COPPER, eff., 91t
 CORNEA, 25t; conical, 112j, 114f; dis., 114p; pathol., 27s, 112-1, n, o, 114g; transplantation, 112o, 114h, r; ulcers, 18n, 112k; vascularization, 12h, 34o; verticillata, 112m, 114p
 CORONARY VESSELS, dis., 13s, 99e; occlusion, 60e
 CORPUS CALLOSUM, tumors, 74u
 COUGH, therapy, 20q
 COUMARIN, therapy, 27r, 104t
 CRANIUM, abnorm., 114n; fractures, 18q
 CREATINE, metabolism, 33e, 102c
 CRIME & CRIMINALS, 39k; psychiatry, 39i, m
 CROMPTON FORMULA, 91-1
 CROOKE'S CELLS, 69e
 CULICOIDES, 96n
 CURARE, eff., 34e, 77i; therapy, 63o, 97q
 CUSHING'S SYNDROME, 69e
 CYANIDES, 90a
 CYSTATHIONINE, 5u
 CYSTINE, 4m; metabolism, 19w
 DEAF, care, 76n; institutes, 42i; language, 42h; school periodicals, 42g
 DEAFNESS, congenital, 115s; therapy, 42d, e
 DEATH, causes, 17c, 91m, 124d; death, sudden, 20q
 DEFICIENCY DISEASES, 12e; experimental, 33d, 34o; manifestations, 12h
 DEGENERATION, 99g
 DEHYDRATION, 89s, 116b
 DEHYDROGENASE, 15s, 91f
 DEMENTIA PRAECOX, 74r; therapy, 29j
 DEMEROL, 45f, 64k
 DENGUE, 24e
 DENTISTRY, 91k, 30c; aviation, 2n; economics, 8u, 9n; in Germany, 72-1; in Netherlands, 9g; licensure, 9n; military, 72w; statistics, 53-1
 DERMATITIS, exfoliative, 117o; herpetiformis, 10v; venenata, 1g, 111o
 DERMATOLOGY, 29c; in Turkey, 9s
 DESOXYRIBOSE, 49p
 DEXTROSE, 17m; determ., 104b; eff., 106n; glycolysis, 3p; therapy, 26m, 70n, 116a; tolerance 17c, 31-1
 DIABETES INSIPIDUS, 69e; cpl. & seq., 15c
 DIABETES MELLITUS, acidosis, 26m, 33f, 98t, 102r; blood, 17b; blood vessels, 102n; camps for children, 63s; coma, 98t, 102s; cpl. & seq., 103j; etiol. & pathogen., 13e; experimental, 102b; eyes, 17b; metabolism, 17q; pregnancy, 96b; therapy, 99w; vibration sense, 63r
 DIAGNOSIS, drugs, 17u; graphic methods, 102q; in dentistry, 9b; methods, 103f
 DIALYSIS, peritoneal, 68b
 DIAPHRAGM, wounds & injuries, 82f
 DIARRHEA, cpl. & seq., 116b; therapy, 116o
 DIATHESIS, haemorrhagic, 42t
 DIET, 93u; adequate, 6f, 35i, 102o; eff., 13v; in India, 22a; therapy, 107u
 DIGESTIVE SYSTEM, diseases, 99r; in animals, 89-1; physiol., 105f
 DIGITALIS, history, 68g; pharmacol., 46g, 102f; therapy, 60a, 100o, 101p
 DIOSCORIDES, 96r
 DIPHTHERIA, 68w; conjunctival, 19e; cutaneous, 9w; immunity, 66s; nervous system, 16w; therapy, 116n; toxin, 35m; tracheobronchial, 65r
 DIPLOPIA, 41h
 DISABILITY, prev., 99q
 DISEASE, 27k; physical-mental relation, 105i
 DISINFECTION & DISINFECTANTS, 79k, 91o
 DITHIOLS, 77n, s, t
 DIURESIS & DIURETICS, 102-1; anti-hormone, 68a
 DOGS, parasites, 88i
 DRAWINGS, 78q, r
 DROSOPHILA, 92h
 DRUGS, addiction, 71o, u, 72b; administration, 103-1; eruptions, 11, 20p, 32e, m; galenicals, 77a; prep., 49e
 DUCTUS ARTERIOSUS, 28-1, 81m
 DUODENAL TUBE, 61w; cysts, 81s; roentg., 61-1; surgery, 64e, 122e
 DUSTS, 67j, 108n, p, q, r
 DWARFISM, 116f; etiol., 116d
 DYES, 1s; eff., 111c; therapy, 105a; toxicity, 98n
 DYSENTERY, 31c; bacilli, 57d, 1, 100s; diagn., 37p
 DYSTROPHY, etiol. & pathogen., 84p; muscular, 21c
 EAR, external, 11f; tumors, 117k
 ECLAMPSIA, 19c; etiol. & pathogen., 14k, 15c
 ECONOMICS, MEDICAL, 27r, 31f, q, 69s, t, 76t; history, 44j; types of practice, 64m
 ECTODERMAL DEFECT, 10w
 ECTROMELLA, virus, 19t
 ECZEMA, 10h
 EDEMA, etiol. & pathogen., 36i; nutritional, 55f
 EDUCATION, MEDICAL, 66a, 98r, 106b, c; history, 90-1; student selection, 106b
 EGG-POWDER, 79h; bacteriol., 94e, s
 EGGS, blood spots, 89g; chem., 12-1
 ELBOW, wounds & injuries, 121m
 ELECTRIC CIRCUITS, 104h
 ELECTRICITY, 110w
 ELECTRODIAGNOSIS, 54h, i
 ELECTROPHYSIOLOGY, 92c
 ELECTROTHERAPY, 33g, 104r; apparatus, 73t
 ELEMENTS, CHEMICAL, 38f

- ELEPHANTS, parasites, 124e
 EMBOLISM, cardiac, 102g; etiol. & pathogen., 19s; gas, 102g; prev., 103i; pulmonary, 28k, 68h, 82a, 103i, 121f; therapy, 27r, 47v
 EMBRYOLOGY, 89g, j, k, o, 92q, 93b; comparative, 87f; history, 90-1; methods, 93a
 EMERGENCIES, 2h, 98v
 EMOTIONS, 109a
 EMPHYSEMA, mediastinal, 116v
 EMPYEMA, 105v
 ENCEPHALITIS, EPIDEMIC, 100t; transmission, 116i
 ENCEPHALOMYELITIS, 68c; avian, 57k; equine, 56r, 110n, 123v; etiol. & pathogen., 40d
 ENDAMOEBIA histolytica, 2u, 103d
 ENDARTERITIS, 28-1
 ENDOCARDITIS, cpl. & seq., 68p; in animals, 124k; pathol., 97j; therapy, 25d, 63p, 65f, 102s
 ENDOCRINE GLANDS, 110o; dis., 97b, -- in children, 21b; in animals, 90h
 ENDOMETRIOSIS, 14u, 68p; therapy, 14g
 ENDOSCOPY, pharmacol., 62b
 ENEMATA, 18o, 61s
 ENZYMES, 4o, 6i, 34f, 49t, 77s, 90v, 92a, 93g, i, j; inhibitors, 57t; proteolytic, 103f
 EOSINOPHILS, 17t, 18o, 112i
 EPHEDRINE & EPHEDRINE DERIVATIVES, 45a
 EPIDEMIOLOGY, 19n, 52j
 EPIDERMOLYSIS, 11a, bullosa, 10g, 11b
 EPIGLOTTIS, infl., 118t
 EPILEPSY, diagn., 74r; pharmacol., 104s; symptomatic abdominal, 81i; therapy, 116k
 EPITHELIOMA adenoides cysticum, 9u
 EPITHELIUM, 91-1
 ERGOT, chem., 48k; eff., 48-1, 90o, 91j, 110n; therapy, 22j; toxicity in animals, 87q
 ERYSIPELOID of swine, 56h
 ERYTHEMA multiforme, 111p, 117p
 ERYTHRITOL, 6c
 ERYTHROBLASTOSIS, fetal, 14o, 24o, 116p
 ERYTHROCYTES, 91t, u; elliptical, 100r; fragility, 26f, 90v
 ERYTHRODERMA, 10f, q
 ERYTHROPHLEUM, 77j
 ESOPHAGUS, cancer, 82s, 122c; diverticula, 28j, 54o; stricture, 2a, 32e, 54n, o, 112f; surgery, 69r
 ESPONJA, 123k
 ESTROGENS, 24g; chem., 6e; determ., 108j; eff., 13j, 33s, 104p; standardization, 13g; therapy, 9t, 20j; toxicity, 54g
 ESTRUS, 34a, 124s
 ETHER, eff., 34e, 47e
 ETHICS, MEDICAL, 37t, 39f; in Russia, 79c
 ETHYLENE DIAMINE, 98o
 ETHYLENE GLYCOL, 17i
 EUNUCHOIDISM, 28e
 EXERCISE, eff., 2-1, 25k; therapeutic, 73t; tolerance tests, 20q
 EXOPHTHALMOS, 67q
 EXPLOSIONS, 73b, 74g
 EXPLOSIVES, 47s
 EXTREMITIES, length equality, 80p, 100e; paralysis, 74h; wounds & injuries, 99q
 EYEBROWS, 112h
 EYEDROPS, 114a
 EYELIDS, akinesia, 40p; surgery, 40o, -- in dog, 56n
 EYES, 92a; abnorm., 111r; abscess, 112q, absence, 116e; accommodation & refraction, 40m, 41-1, 111g, 112s, 113-1; artificial, 76p; dis., 40r, 111-1, 113c, -- in animals, 124h; foreign bodies, 111-1, 113k; hemorrhage, 97n; in animals, 115a; muscles, 24q, 40h, q, 41c, d; pupillary membrane, 88w; roentg., 111r; surgery, 40o; tapeto-retinal degeneration, 114o; tuberculosis, 113p; wounds & injuries, 40s, 73j, 75d, 114g
 EYESTRAIN, 112b
 FACE, abnorm., 114n; deform., 8-1; surg., 82u
 FAGARINE, eff., 35t
 FAINTING, 74r
 FAT, chem., 5t; intravenous injection, 25f; metab., 3u, 4q, 90i, 102t
 FAVUS, 10c
 FECES, exam., 42p
 FEEBLEMINDEDNESS, 30b, 39s
 FEMUR, fractures, 109i, -- in animals, 124v
 FERMENTATION, 4r, 58g
 FERROCYANIDE, 34t
 FERTILIZIN, anti-, 90b
 FETUS, blood, 4t, 5i, 108v; development, 87f; dis., 15a; pathol., 65b; position, 15b
 FEVER, etiol. & pathogen., 104c; metal fume f., 101g; obscure, 63t; prolonged, 23k; therapeutic, 66p
 FIBRIN, 91a
 FILARIASIS, therapy, 51w
 FILTRATION, bacterial, 57o
 FINGERS & TOES, abnorm., 113e; dis., 11j; surgery, 83c; wounds & injuries, 28v, 30i
 FISHES, physiol., 90u
 FISTULA, arteriovenous, 32v, 104g; aural, 23c; cholecystogastric, 82m; ischiorectal, 12s; rectovaginal, 66r; tracheoesophageal, 2a, 54n
 FLATULENCE, 33f
 FLUIDS, 6q, 25p, 34q, 36c, 49j, 68o, 91r, 103q, 104u; therapy, 81r, 116a, o
 FLUORESCIN, 111m
 FLUORESCENCE, 26n
 FLUORIDES, 58n; therapy, 49f, 53k; toxicity, 124m
 FLUOROACETATES, 91v
 FLUOROPHOSPHATES, di-isopropyl, 46g, h, i, j, m, 47k, l, 111p
 FOLLICULITIS, 5h
 FOOD, canned, 94f; frozen, 95a; hygiene, 79g, i, 110d, 120r; poisoning, 56w, 79v, 94p
 FOOT, deform., 106u; pain, 104w
 FOOT & MOUTH DISEASE, immunity, 56g
 FOREIGN BODIES, in air and food passages, 27k, 64c, 96r, 115m; localization, 73g, 111-1; sublingual, 80p
 FOREL, 71o
 FORMALDEHYDE, 7n, 56h; eff., 35c
 FORMULARIES, 45n, t
 FOSTER-KENNEDY SYNDROME, 114o
 FOWL, dis., 87-1
 FOXES, parasites, 124t
 FRACTURES, healing, 72c; in animals, 124v; in infants & children, 115w; therapy, 21c, 66i, 102p, 122a
 FREIND, John (1675-1728), 30f
 FREUD, 71o
 FROSTBITE, therapy, 66p
 FRUCTOSE, 3s, 4r, t
 FRUITS & VEGETABLES, 94-1, 109n; dehydration, 94q, w; frozen, 95a; in diet, 71p; juices, 58j; storage, 95a
 FUCHS' disease, 112r, 114p
 FUNGI, 19q, 20c, 58o
 FUNGICIDES, 2q, 58n
 FUSOSPIROCHETOSIS, 9b, 111d
 GALACTOSE, metabolism, 25s; toxicity, 34d
 GALLBLADDER, calculi, 98o; dis., 81b, 99f; motility, 54r; roentg., 34m, 61p
 GAMMEXANE, 123r; veterinary use, 88i
 GANGRENE, etiol. & pathogen., 121h; gas, -- in pregnancy, 15a; therapy, 97v
 GARLIC, 18v
 GASES, 91s; pois., 4d, g, 5d, 25t, 31t, 34s, 47g, n, 49t, 77v, 78a
 GASTEROPHILUS, 123k

- GASTROENTEROLOGY, 12r
 GASTROINTESTINAL TRACT, cancer, 28f;
 dis., 30u; hemorrhage, 68k, l
 GELATIN, therapy, 17o, 101v
 GENETICS, 21n
 GENITALS, growth & development, 20e;
 hemorrhage, 14j; tumors, 69k
 GENITOURINARY TRACT, cancer, 59n
 GERIATRICS, 13r
 GERMANIN, 11i
 GERMICIDES, 38i, 57h, s, 79e, 111c; standardiza-
 tion, 76w
 GERONTOLOGY, 13u
 GERSH'S TECHNIC, 34t
 GLANDS, 91-1; neuroendocrine, in insects, 110o;
 penetration, in tapeworm, 91m
 GLASSES, cases, 111h; contact lens, 41q, w,
 113f; history, 40n; moist chamber, 73f;
 pinhole, 73f
 GLAUCOMA, etiol. & pathogen., 40q, 107o,
 112i; in animals, 124v; therapy, 111p, 112e
 GLOBULIN, 104m
 GLUCOSAMINE, 3h
 GLUCOSIDES, 49b, c, d, 100o; pharmacol., 46e, g
 GLUCURONIDASE, 4p
 GLUTAMINE, metab., 3p
 GLYCEROL, eff., 90v
 GLYCEROPHOSPHATASE, 93g
 GLYCEROPHOSPHATES, 26m
 GLYCOCYAMINE, 26e
 GLYCOGEN, determ., 6m, 11r; in liver & muscle,
 3q, 101a
 GÖTTER, EXOPHTHALMIC, 106t; cpl. & seq.,
 121j
 GOLD, therapy, 86v; toxicity, 10o
 GONADOTROPINS, eff., 13f, 34j; secretion,
 34i
 GONOCOCCI, cult., 57i; variation, 10i
 GONORRHEA, diagn., 66o; therapy, 10i, 83h, 99u
 GORIEVA'S CAMERA, 110h
 GRAMICIDIN, 4u
 GRANULOCYTOPENIA, in animals, 87k
 GRANULOMA, annulare, 11k; chronic, 63v
 GRAPHS, 102q
 GROWTH, 1r, 4-1; in plants, 94c
 GROWTH FACTORS, 57r
 GUMS, calcification, 43c
 GUNS, 1g
 HABRONEMA, 123k
 HAIR, dis., 11e; growth, 1m
 HALIPHAGIA, 43c
 HAND, anat., 91n; osteomyelitis, 71g; wounds &
 injuries, 98t
 HANSENULA, 57n
 HARE-LIP, 29b
 HARTMANN'S OPERATION, 61r
 HAYFEVER, 1e; epidemiol. & statist., 1d; etiol.
 & pathogen., 67m; therapy, 108b
 HEAD, wounds & injuries, 73b
 HEADACHE, 22j, 63t
 HEALTH, educ., 96e; resorts, 113c
 HEARING, tests, 65j
 HEART, abnorm., 17u, 20q, 69u, 101w; beat, 101c;
 block, 17s, 59s, u, 60d, 65p; catheterization,
 101w; conductive system, 34r; configuration,
 103q; dilatation, 65w, 67b; dis., 23b, 24j, 69u,
 75u, 98v, -- in Negroes, 27n; eff. drugs, 16u, 35t,
 46e, v, 47p, q, 49d, 60a, 77j, 100o, 101p, 102f;
 electrocardiography, 16u, 17k, 32w, 34r, 35f, 59s,
 60b, 102a, u, 104-1, u, -- in animals, 34s; fatty,
 60d; function tests, 20q, 103u; hypertrophy,
 59v, -- in animals, 124k; infarction, 18g, 36k,
 60e, 97i, 102u, 104u; innervation, 85u, 101c;
 insufficiency, 19m, 101p, q, 102f, 1, 104k, v;
 murmurs & sounds, 59u; normal, 28h;
 physiol., 17k, 35f, 101c; rate, 60c, -- in animals, .
 33u; roentg., 104h; size, 107g; surgery, 69u;
 wounds & injuries, 102m
 HEARTBURN, in pregnancy, 67q
 HEAT, 91-1, 110h; metabolism, 52c; stroke, 91m
 HEMATOGÉN, 109w
 HEMOCYANIN, 49o
 HEMOGLOBIN, 6h, 25k, 26h, 47r; determ., 111h
 HEMOLYSIS, 91i; mechanism, 91u
 HEMOPNEUMOTHORAX, 55m
 HEMOPOIETIC SYSTEM, embryol., 89g
 HEMOPTYSIS, 18q
 HEMORRHAGE, blood circ., 101u; intra-abdomi-
 nal, 69m; nursing care, 75t; postoperative,
 121g; resorption, 69m
 HEMORRHOIDS, etiol. & pathogen., 99r
 HEMOSTASIS, in proctol., 69q
 HENRICI'S MEDIUM, 58m
 HEPARIN, 100u
 HEREDITY, 13v; in dis., 10w, 21n, w, 36m, 40b, 54s,
 56i, 114o; mechanism, 1r, 20c, 90i, m, 91g, 92-1,
 95m, o, p, q, 124d
 HERNIA, diaphragmatic, 30c, 43w, 82f, 121-1, -- in
 animals, 56m, 124u; inguinal, 100e, -- in animals,
 124k; vaginal, 14q, 82r
 HERPES zoster, 106o
 HETEROCINETA, 89v
 HETRAMINE, 35j
 HEXAMETHYLENETETRAMINE, 47n
 HIP, dis., 121o; dislocations, 107d; echinococco-
 sis, 82h; tuberculosis, 86k
 HISTAMINASE, 5h
 HISTAMINE, 109a; antagonists, 35j, r, 77e; eff.,
 33i, 77d, k, 113k, v
 HISTIDINE, 4-1
 HISTOPLASMOSIS, 116h; allergy, 117n, 121a; cpl.
 & seq., 121a; epidemiol. & statist., 26u
 HODGKIN'S DISEASE, therapy, 68n
 van der HOEVE'S DISEASE, 10u
 HOG CHOLERA, virus, 35p, q
 HONEY, 44n
 HOOKWORM INFECTION, in infants & children,
 42r; in pregnancy, 15a
 HORMONES, 91f; allergy, 11-1; anti-diuretic, 68a;
 chromatophorotropic, 89r; determ., 3-1, 3k;
 sex, 33n, 92j; standardization, 13g; vegetable,
 38e
 HORSES, exam., 87t; pastern, 88o; racing, 38i,
 124q
 HOSPITALS, Amer. Women's Hosp., 24f; cardio-
 logic, 24j; clinics, 28d; emergency serv., 105k;
 geriatric serv., 13p; immunization serv., 66j;
 in Peru, 69b; in Uppsala, 75e; military, 72v,
 73i, q; pediatric, 43h; pharmacy, 45r; psychia-
 tric, 17c; shock serv., 109p
 HOSPITAL-SHIPS, 72p
 HOSPITAL-TRAINS, 110a
 HUMERUS, epicondylitis, 121m
 HYALURONIDASE, 3h, i; determ., 13h; production,
 4n
 HYBRIDITY, 92i
 HYDRAZONES, 3-1
 HYDROGEN, 90c
 HYDRONEPHROSIS, 108e, 117g; cpl. & seq., 65p
 HYDROTHORAX, 105k
 HYDROXYLAMINE, 19p
 HYGIENE & SANITATION, in Russia, 79b, p, 80c;
 military, 109m
 HYPERESTHESIA, 102m
 HYPERTELORISM, 117o
 HYPNOSIS, 38n
 HYPNOTICS, 93h
 IDE TEST, 15r
 IDIOCY, mongolian, 69q
 ILIUM, abnorm., 54u

- IMMUNITY, 16d, 52a, 107n, 116a; chem., 5b; clinics, 66j; forensic asp., 39i
 IMPETIGO, herpeticiformis, 11d
 IMPREGNATION, 90b, d; artificial, in animals, 87u
 INDELIBLE PENCILS, 98n
 INDUSTRY & OCCUPATIONS, absenteeism, 52w, 53e; disease & poisoning, 26w, 69f, 78e, 79e, 101g; medicine, 39u, 40v, 53c, 75d, p, u, 106e
 INFANTS, care, 96b, 116m; feeding, 22r, 116o, 117i; mortality, 52n, 53q, 75f; psychol., 78n
 INFANTS, NEWBORN, bacteriol., 14p; exam., 31i; injuries, 115w, 117c
 INFECTION, blood, 105f; therapy, 54p, 116a
 INFLUENZA, diagn., 74h; epidemiol. & statist., 68m, 103v; influenza, immunity, 16t, 73n; serodiagn., 19u; therapy, 16i; vaccine, 48c; virus, 33b, 35b, c, 53j, 103v
 INFRA RED RAYS, eff., 92d
 INHALED SUBSTANCES, 47g
 INJECTIONS, 49j; hypotonic, 103j; intramuscular, 106r; intravenous, 25f, 63w, 101v, 104u, 116o; radio-opaque, 1q
 INSANE, care, 39t; statistics, 17c
 INSANITY, 20-1; confusional, 24k; etiol. & pathogen., 65h, 70q; manic depressive, 22o; therapy, 29j
 INSECTICIDES, 2q, 3c, d, e, 120r, 123r; veterinary use, 88i, j
 INSECTOL, 71a
 INSECTS, 90f, 96k, 1, n; anat. & histol., 110o; corpora allata, 90h; diapause, 92q
 INSTRUMENTS, 109o
 INSULIN, roentg. use, 62i; therapy, 26m
 INTELLIGENCE, 116e
 INTERNSHIP, 68q
 INTESTINES, bacteriol., 37p, 57j, 64b; dis., 12r, s, 61g, 74f, 81g, 122b, i; obstruction, 27p, 33f, 43j, 62c, 64h, i, j, 80i, 81g, 82k, 99p, 121p, q; parasites, 24n, 61f, 64b, 72m, 88r, -- in animals, 124e, j; physiol., 80i; secretion, 11s; surgery, 61r, 64e, 69r, 121s, t, 122b; tuberculosis, 28j
 INTUSSUSCEPTION, 61c; appendicular, 61o
 IODINE, iodized oil, 80j; radioactive, 67k
 ION TRANSFER, 54f, 109a
 IONS, 90c, 91s
 IRIDOCYCLITIS, 28s
 IRIS, abnorm., 111r; cysts, 114g; nevi, 111q; pigmentation, 112r, 114c, d
 IRON, deficiency, 95g; metabolism, 26h
 JAUNDICE, blood, 26i; catarrhal, 12u, 26f, 34q, 68i, 73f, 104m; etiol. & pathogen., 20h; experimental, 35d; obstructive, 64e
 JAWS, cancer, 82v; deform., 8-1; dis., in animals, 124w; osteomyelitis, 93t; surgery, 82v, 93s
 JENSEN'S DISEASE, 113q
 JOINTS, dis., 11j; fixation, 124r; wounds & injuries, 86i, 109i
 JURISPRUDENCE, confessions, 39m; law of arrest, 39k
 JURISPRUDENCE, MEDICAL, 20-1, 39i, j, m, 100b
 KALMIA, 45f
 KENNEDY SYNDROME, 114o
 KER, C. B., 23e
 KERATIN, 19r
 KERATITIS, etiol. & pathogen., 111q; in animals, 124v
 KERATOCONJUNCTIVITIS, 112k
 KERATOSIS, 11n, 87i
 KIDNEYS, capsule, 100t; cysts, 63v; decapsulation, 68b; dis., 28m, 34t, 81a; extract, 104k; horseshoe, 65r; insufficiency, 30v, 68o; pathol., 33m, 102k, 104d, k; perirenal constriction, 27h; physiol., 17k, 35h, 47i, 68a, 101a, t, 103r; tumors, 105s, 121s
 KOEBNER'S DISEASE, 11b
 KR, 38p
 LABOR, blood, 108e; cpl., 31p, 98n; drugs, 14h; forceps, 14-1; fourth stage, 14i; physiol., 14i; presentation, 97k
 LABORATORIES, 37p; animals, 35k; apparatus & equipment, 11u, 34d; bacteriologic, 72r; dental, 91m; public health, 28r; specimen collection, 93n
 LACTATION, physiol., 34n
 LACTONES, 110s
 LANGUAGE, 42h
 LARYNX, bacteriol., 84f; cancer, 66h, 76m; keratosis, 67i; paralysis, 23u, 115-1; spasm, 38u; stenosis, 115k; surgery, 82g, j; tuberculosis, 86c; tumors, 115i
 LATRINES, 79t
 LEAD, determ., 110e; pharmacol., 49g; toxicity, 20g, 22b, 79u
 LECITHINASE, 19t
 LEECHES, 113i
 LE GAC OPERATION, 98h
 LEGISLATION, 29g; in Great Britain, 20s, 96e; in Scotland, 20r
 LEGS, leg equality, 100e, 80p
 LEISHMANIASIS, epidemiol. & statist., 96m; therapy, 47b
 LENS, CRYSTALLINE, displacements, 19b; tumors, 10u
 LENSES, spherical, 113r
 LEPROSY, 25a, 73s; diagn., 1f, 67a; heredity, 21w; prev. & control, 52g; social asp., 76h
 LERICHE METHOD, 108c
 LEUKEMIA, 31h, 117b; aleukemic, 43o, 79v; eyes, 114w; in animals, 56i
 LEUKOCYTES, 6g
 LEUKOPLAKIA, 11g
 LIBRARIES, 15m; Bodleian, 38d
 LIBRARIES, MEDICAL, history, -- Transylvania, 28b
 LICHEN, planus (drug eruption) 32m
 LIFE, duration, 13v, 14b, c, 35h
 LIGAMENTS, coracoclavicular, 80o
 LIGHT, eff., 12k, 87p, 91n, 114u; perception, 113o
 LIPASE, 91q
 LIPOIDS, 19t, 26i, 34h, 90n, u, 91c, q; water-soluble, 55e
 LIP-READING, 42f, g
 LITERATURE, 22u
 LITHOSPERMUM, 34a
 LIVER, accessory, 20r; biopsy, 17a; cancer, 31a, -- in animals, 111d; chem., 6r, s; cirrhosis, 12v, 31m, 48d, 70d, 102t; cysts, 63v; dis., 12p, 103h, -- in animals, 87i; extract, 19e, 44q, 47w; fats & lipoids, 90i; function tests, 17c, 25s, 99k; hernia, 105j; parasites, 85c; pathol., 3u, 17q; physiol., 5r, 46f, 47r; regeneration, 34s; Riedel's lobe, 26a
 LOCOMOTION, 38i, 92p
 LUMINESCENCE, 91d
 LUNGS, abscess, 27k, 67a, 121j; anatomy & histol., 89c; blood supply, 103q, 104a; calcification, 116h, 120w; collapse, 85o, 122s; cysts, 117b; dis., 24b, 108n, p, q, r, 120v, -- in animals, 88b; immobilization, 55v; infarction, 30w; innervation, 85u; mycosis, 63w; parasites, in animals, 124r; pathol., 17t, 18o, 84o, 112i; roentg., 54d; surgery, 101o; tumors, 20j, 74c, 93h; wounds & injuries, 80j
 LUPUS, erythematosus, 11c, i, 18i
 LUTON, Alfred, 106r
 LYING, lie-detectors, 39-1

VIII

- LYMPH, 35d
 LYMPH NODES, cancer, 82v; dis., 81h; tuberculosis, 30k, 85-1, 121n
 LYMPHOGRANULOMA VENEREUM, 67c; cpl. & seq., 61b, 81n; eyes, 111q; immunity, 104j; pathol., 104e
 LYSOLECITHIN, 26i
 MALARIA, 100k; avian, 12e, 33q, 35-1, 47d; cerebral, 74s; classification, 70i; clinical asp., 70j, k; epidemiol. & statist., 70t, u; nervous system, 70o, p; plasmodium, 70s, 83n, o; prev. & control, 52e, 71c; psychosis, 70q; tertian, 83o; therapy, 17n, 23o, 35t, 36p, 45e, 46w, 47d, 63n, 70a, m, n, 83-1, m, 90e, 111a; transmission, 53a, 86f
 MANOMETERS, 61g
 MARINE BIOLOGY, 89j
 MASTOIDITIS, epidemiol. & statist., 17f
 MATERNITY, mortality, 52n; welfare, 23g, 24w
 MATRICARIA, 22s
 MATURITY, 39r
 MEAD, Richard (1673-1754) 30q
 MEASLES, cpl. & seq., 43j
 MEAT, bacteriol., 94g, h, j, r; chem., 6k; dehydrated, 94j; preservation, 79f; vitamins, 94j, k, r
 MECHNIKOV, I. I., 85k
 MEDICAL CARE, 69s
 MEDICINE, 37m; clinical, 28d; folklore & superstition, 22s; history, 8t, 13s, 30f, i, q, 44t, 63a, 106r, 109c, -- in Alberta, 15k, Atlanta, 21h, Edinburgh, 23e, Egypt, 96a, Great Britain, 20s, 25a, 29g, India, 19a, Kentucky, 27w, Peru, 69b, Russia, 79c, Scotland, 20r, Sweden, 65a, Turkey, 9s, United States, 27o, Vermont, 99j; postwar, 30s, 100p; preventive, 53c, 101m; progress, 75h; psychosomatic, 105i; rural, 36o, 99j; social, 95u; state, 8j, 14d, 96e
 MEESMANN'S DISEASE, 112o
 MELANIN, pigmentation, 10-1, t, u, 11i
 MELARSEN OXIDE, 70a, b
 MELOPHAGUS, 123r
 MELTZER-LYON TEST, 61k
 MEMORY, 39c
 MENINGES, blood supply, 40b; hemorrhage, 18j; tuberculosis, 43i; tumors, 40c
 MENINGITIS, cpl. & seq., 18j; epidemiol. & statist., 43g; influenza, 116j, -- in children, 32j
 MENINGOCOCCUS, 31p
 MENOPAUSE, blood pressure, 103k; disorders, 14j, 25w, 37j; therapy, 24g
 MENSTRUATION, 14p
 MENTAL DISEASE, prev., 99g; therapy, 39p, 73o
 MENTAL HYGIENE, 74n, 120p; clinics, 29p; congresses, 68e; for nurses, 80o
 MENTAL TESTS, 78o; in Negroes, 39e
 MERCAPTOPROPHANOL, 4e, i, g; eff., 77r, s; pharmacol., 77n; therapy, 77o, u, v, 78a, b, c, e; toxicity, 77o, p, q
 MERCUROPHYLLINE, eff., 102-1
 MERCURY, 17o; eff., 91t; prep., 9r; therapy, 10a; toxicity, 40s, 78e
 METABOLISM, 4o, 89s, 91f; acetylation, 92a; in infants & children, 116g
 METAL FUME FEVER, 101g
 METALS, 110m; eff., 91t; therapy, 86n
 METAMORPHOSIS, 92a
 METATARSUS, fractures, 104w
 METHATIONINE, 6t; determ., 6j, k, v, w; metabolism, 19w
 METHYL AMINOETHANOL, 47q
 METHYL-BENZYLAMINE, 35t
 METHYLENE BLUE, therapy, 70n
 METRAZOL, eff., 77i
 MICE, breeding, 35k
 MICROSCOPY, electron, 57e, 89p
 MIDWIVES, 75f, 95v; history, 63a
 MIGRAINE, therapy, 48f
 MILIARIA, 10h
 MILITARY MEDICINE, 2-1, 18w, 21i, 73i; apparatus & equipment, 73t, u, v, 109o, 110i; bacteriol., 72r; blood transfusion, 110g; cardiology, 18c, 59r; dermatology, 1g; gastroenterology, 30u, 109t; gynecol. & obstetrics, 72n; history, 109g; hospital ships, 72p; in Russia, 109h, l, m, 110b; induction, 72m; neuropsychiatry, 20-1, 29r, 39s, v, 72k, q, 73a, d, o; neurosurgery, 74b; ophthalmology, 73j; phoniatrics, 72w; physical medicine, 73a, 110a; procurement, 72v, 73n; roentgenology, 73h, v; surgical technic, 21o, 28a, 74c; winter tests, 73m; wounds, 73c, 74g
 MILK, bacteriol., 88q; pois., 56w
 MILK FEVER, 124-1
 MINERALS, determ., 108n; metabolism, 3m, 4h
 MINES & MINERS, 39u, 108 n, p, q, r
 MINKS, dis., 124t
 MITES, 3e, 53h
 MIXTURES, 49e
 MOLASSES, 58g
 MOLLUSCUM contagiosum, 10o
 MONONUCLEOSIS, infectious, 68c
 MORALE, 20-1, 29r
 MORPHINE, pharmacol., 60v, w
 MOSQUITOES, 70v, 79s; eradication, 3c, 71a; transmission of dis., 70u, 116i
 MOUTH, bacteriol., 14p, 93w; foreign bodies, 80p; leukoplakia, 11g; mucosa, 7q; roentg., 93w; surgery, 93s; syphilis, 7i
 MOVEMENTS, 29c, 34e, 36a; disorders, 43s
 MUCILAGE, 37q
 MUCIN, determ., 11r
 MUSCLES, chem., 4j, 6n; diseases, 121j; exam., 75a; innervation, 33h, 34e, 42w, 54i, 77h, i; orbicularis oculi, 40p; palmar, 91n; pathol., 63-1; pharmacol., 46-1, m, 77s; physiology, 29c, 54h, i, 90s, w, 91s; protoplasmic clotting, 91d; spasticity, 22g
 MYASTHENIA gravis, 26e, 105a
 MYCETOMA, 82n
 MYCOSIS, 98i; cutaneous, 71m, 100f; fungoides, 10p, 11c
 MYELITIS, transverse, 43j
 MYOPIA, 41a
 MYXEDEMA, cpl. & seq., 37j; etiol. & pathogen., 121k
 NAPHTHOQUINONES, eff., 90e
 NARCOTINE, 15u
 NASOPHARYNX, dis., 100m; therapy, 76o
 NECK, surgery, 82v
 NEEDLES, 103h
 NEGROES, psychol., 39e; statistics, 52n
 NEMATODES, 52a
 NEOSTIGMINE, eff., 16u, 46-1, 77i
 NEPHRIDIUM, 38h
 NEPHRITIS, glomerular, 108e; therapy, 23r
 NERVES, auriculotemporal, 22e; degen. & regen., 40j, 42w, 112o, 121d; eff. drugs, 46n; facial, 40p; mandibular, 8r; motor, 33h, 40j, 42w; optic, 40r, 113e; pathol., 40j, 91h; perineurium, 38b; peripheral, 73t, 74b; sensory, 91a; wounds & injur., 38v
 NERVOUS SYSTEM, dis., 36m, 104c; hormones, 89r; pathol., 42w; physiol., 35v, 40g, h, 42w, 90c, w, 91h, 107r; surgery, 74b; tumors, 96p
 NERVOUS SYSTEM, SYMPATHETIC, allergy, 66q; blocking, 61v; eff. drugs, 45i, 46m, 105c, 108c; physiol., 107s
 NEURALGIA, causalgia, 83a

- NEURITIS, hypertrophic, 106v; multiple, 16w;
 optic, 114o
 NEUROFIBROMATOSIS, 10q, 82k, 106v
 NEURONS, 40g
 NEUROSES & PSYCHONEUROSES, 71o, u, 72b;
 in armed forces personnel, 39v, 74o; reha-
 bilitation, 63f; therapy, 39q
 NEUROSYPHILIS, therapy, 74b; visual field, 65k
 NEVI, 111q
 NICKEL, toxicity, 78e
 NICOTINE, pharmacol., 46o
 NICOTINIC ACID, 5w, 19v; deficiency, 12d; eff.,
 20e; therapy, 11
 NIEMANN-PICK'S DISEASE, 43g
 NIGHT BLINDNESS, 113e, 114o
 NIKETHAMIDE, eff., 77h
 NIPPOSTRONGYLUS, infection, 52a
 NITRATES, bacteriol., 19p
 NITRIC OXIDE, toxicity, 69f
 NITRITES, bacteria, 19p
 NITROCRESOL, 13d
 NITROGEN, metabolism, 6p, 93b
 NITROGEN MUSTARDS, eff., 92t
 NITROTOLUENE, metabolism, 47s
 NODES, 11j
 NOMENCLATURE, 8g, 41m
 NOSE, bacteriol., 14p; hemorrhage, 97n;
 surgery, 31w, 76n, 111v
 NUCLEINS, 49p, 93i, j; eff., 14b, c
 NUCLEOPROTAMINES, 49o
 NUCLEOPROTEINS, 4k, w, 49p
 NURSES & NURSING, 75i, t, u; history, 75j, m, n;
 in Switzerland, 106j; military, 73n; psychiatric,
 76b
 NUTRITION, 12e, 22a, 24u, 67n, 107d, 109w; disor-
 ders, 112i; in Mauritius, 38-1; in Netherlands,
 9g; parenteral, 25f
 OBESITY, cpl & seq., 70d; etiol. & pathogen., 116g;
 therapy, 48c
 OBSTETRICS, in India, 95v
 OCCUPATIONAL THERAPY, indications, 22i
 OCHSNER'S SOLUTION, 99-1
 OIL, essential, 44q; palm oil, 3t; vegetable, 35e
 OLD AGE, 13r, 14d
 ONCHOCERCIASIS, epidemiol. & statist., 111t
 ONCOLOGY, in Russia, 71k
 OPHTHALMIA, equine, 56m, 87g; etiol. & pathogen.,
 114s; sympathetic, 114j, q, t
 OPHTHALMODYNAMOMETRY, 113v
 OPHTHALMOLOGY, 115a; diagn., 111r, 114n;
 history, 40n; in the Orient, 114a
 OPISTHORCHIS, 85c
 OPIUM, 15u
 OPTIC CHIASM, 113h
 OPTOMETRY, 41t
 ORBIT, dis., 114j, n; surgery, 40o, 63g, 76p;
 tumors, 114c
 ORGANS, 89j
 ORTHOPEDICS, apparatus, 73i, u
 ORTHOPTICS, 40u, v, w, 41f, h
 OSMOSIS & PERMEABILITY, 26d, 69m, 91i
 OSSIFICATION, 80o
 OSTEOITIS, 93t; fibrosa, 116s, 121o
 OSTEOARTHRITIS, 20i, 121o
 OSTEOMYELITIS, 66w; cpl & seq., 112q; in infants
 & children, 115w; therapy, 48f
 OSTEOPATHY, 28p
 OSTEOSCLEROSIS fragilis, 54s
 OTITIS MEDIA, therapy, 100b
 OTOSCLEROSIS, therapy, 27t, 63f, 115j, o
 OVARY, absence, 116f; cancer, 15f; cysts, 24q, --
 in animals, 124h; hormones, 131, 34m, 101b;
 insufficiency, 108i; physiol., 34j, 48f; roentg.,
 101c; therapy, 15h, 48p; tumors, 14v, 105k,
 117c
 OVULATION, 13f, 34c, n
 OVUM, 89g, 90u, 91e, 92q; chem., 90d; develop-
 ment, 92m; eff. agts., 89k, 90t; inclusions,
 92w; metabolism, 90p
 OXIDASE & PEROXIDASE, 47i, 56b
 OXIDATION-REDUCTION, 90d
 OXYGEN, chem., 7b; consumption, 26o, 89s, 92g;
 deficiency, 35e, 36b; eff., 35-1; supply systems,
 2m; therapy, 73g; toxicity, 33w
 PAIN, etiol. & pathogen., 39w; induced, 104-1;
 therapy, 13o
 PALM OIL, 3t
 PALUDRINE, 111a
 PAMAQUINE, therapy, 17n
 PANCREAS, aberrant, 80-1; cancer, 81w; cystic
 fibrosis, 68v; secretion, 33u; surgery, 64e
 PANCREATITIS, 81c, 105j, l
 PANCUTAN, 97v
 PAPVERINE, therapy, 47v
 PARABIOSIS, 34g
 PARALYSIS, cerebral, 22h, 115u; experimental,
 34d; familial periodic, 109c; phrenic, 43v;
 spastic, 115u; therapy, 73t
 PARAMETRIUM, 89m, p
 PARAPSORIASIS, 11c
 PARASITES, 71b, 85c
 PARASITOLOGY, 2t, 88j
 PARATHORMONE, 3v
 PARATHYROID, anat. & histol., 1o; dis., 42n, 74k;
 extract, 3v; insufficiency, 5k; pathol., 28m
 PARATYPHOID, diagn., 117k
 PAREDRISE, 45i
 PAROTITIS, immunity, 53d
 PARSLAY, 80f
 PATELLA, dislocation, in animals, 56v
 PATHOLOGY, history, 42-1; in Russia, 71k;
 institutes, --Australia, 23o
 PEACHES, 94w
 PEDIATRICS, 75a
 PELLAGRA, 10-1; epidemiol. & statist., 12j
 PELOMYXA, 91q
 PELVIS, dis., 81a
 PEMPHIGUS, vegetans, 11d, 62q
 PENICILLIN, 23m, 36t, 37m, 71t; admin., 26d, 32k,
 35u, 45h, 71e; determ., 38j; eff., 10i, 15s, 16d,
 35m, n, 38k, 57t, 58f, 106w, 111c; G, 25d; pharma-
 col., 34v, 45a, 46u; prep., 44r, w; production,
 5g; therapy, 65u, 83h, --in dentistry, 60q, r, --
 in gynecol. & obstetrics, 29-1, --in ophthal-
 mol., 20o, 114t, --in pediatrics, 102w, 116a, --
 in surgery, 37g, 64j, --in veterinary med.,
 56o, q, 124o; toxicity, 1i, 17-1, 20h, p; X, 25d
 PENIS, diseases, 87c
 PEPSIN, 49s
 PEPTIC ULCER, cpl & seq., 61p, 122h; diagn.,
 61-1; etiol. & pathogen., 103m; experimental,
 33i, 60w; healing-time, 72n; hemorrhage, 68-1;
 mil. asp., 109t; multiple, 20k; perforation, 81b,
 96v; postoperative, 121e; surg. ther., 21r, 62j, k,
 121u; therapy, 48n, 61a
 PEPTIDES, 4v
 PEPTONE, 33j
 PERCUSSION, abdominal, 70f
 PERFUMES, 44n
 PERIARTERITIS, nodosa, 10k
 PERICARDITIS, 18c; adhesive, 27h
 PERICARDIUM, surgery, 27h
 PERIODICALS, 42g; ms. prep., 2w
 PERIOSTEUM, 93t
 PERIPATUS, 89s
 PERITONEUM, blood resorption, 69m; dialysis,
 68b; dis., 36k; surgery, 108c
 PERITONITIS, 81f
 PERIVISCERITIS, 99c
 PERSONALITY, 39c; disorders, 32b; tests, 39d, r

- PHAGOCYTES & PHAGOCYTOSIS, 113b
 PHARMACOLOGY, in Russia, 711
 PHARMACY, 44p,t; in Europe, 44k; in India, 48u;
 in Puerto Rico, 44h; institutes, -- Brussels,
 49k
 PHARYNX, anat. & histol., 89e; tumors, 115-1
 PHENAMINE, toxicity, 71e
 PHENETHYLAMINES, 471
 PHENOL, eff., 57q
 PHENOTHIAZINE, 45m; therapy, 124e
 PHENYLALANINE, 5o, 6f; eff., 34o
 PHENYLENE DIAMINE, toxicity, 46u
 PHENYLETHYLAMINES, eff., 77-1
 PHLEBITIS, 65g; jugular, 40q
 PHLEGMASIA ALBA DOLENS, 23n
 PHLEGMON, therapy, 97v
 PHOSGENE, toxicity, 26k, 47g,n
 PHOSPHATASE, alkaline, 33m, 35d
 PHOSPHORUS, 95b,c,d; metabolism, 3m, 4h, 5r,
 34s, 102r; radioactive, 54q, 103p
 PHOTOMETRY, 41m
 PHYSICAL MEDICINE, 73a, 75u, 110a; in
 geriatrics, 13o; indications, 54g
 PHYSICIANS, general practitioner, 105r; rel.
 to community, 16o; rel. to patient, 73i;
 women, 24s,t
 PHYSIOLOGY, 92c
 PHYSOSTIGMINE, eff., 46j,m
 PHYTONCIDE, 71j
 PICROTOXIN, eff., 77h,i
 PIGMENTATION, 93c
 PIGMENTS, 90r
 PIROGOV, N. I., 109g
 PITUITARY BODY, anat. & histol., 1p, 64-1;
 dis., 69e; necrosis, 14s; physiol., 13j,k, 33s,
 34c,i,j, 47i, 104o, 107g; secretion, 3q, 35s;
 tumors, 27g
 PITUITARY PREPARATIONS, eff., 17k, 47i,
 77f; therapy, 14h
 PLACENTA, previa, 82w; vitamin content,
 14m
 PLAGUE, immunity, 52k
 PLANTS, juices, 58j
 PLASMINOGEN, 49q
 PLEURA, tumors, 56c, 82e
 PLEURISY, adhesive, 84r, 86r; experimental,
 33k; therapy, 84d
 PNEUMOCOCCI, immunity, 16d; infections, 18g
 PNEUMOCOCCUS, 108n,p,q,r
 PNEUMONIA, heart, 101i; in animals, 124t;
 rat p., 101j; therapy, 99p, 101i; verminous in
 animals, 124r
 PNEUMOTHORAX, artificial, 83s, 84a, 85q, --
 in children, 84c; cpl. & seq., 84r; etiol. &
 pathogen., 36-1, 122n
 POIKILODERMA, 16n
 POISONS & POISONING, 69h; therapy, 78e
 POLAROGRAPHY, 3k,l
 POLIOMYELITIS, 76e; cpl. & seq., 43j; diagn.,
 102q; epidemiol. & statist., 122j; etiol. &
 pathogen., 66g; initial lesion, 116j; muscle
 tests, 75a; virus, 31o, 33d
 POLLEN, 89q
 POLYCYTHEMIA, 102i
 PONCET'S DISEASE, 86e
 PORK, 94k,r
 PORTAL VEIN, blood pressure, 103m
 POSTURE, eff., 17s, 60c
 POTASSIUM, 90c, 101s; chloride, 110r;
 toxicity, 32h
 POTATOES, 94u, 109n
 PREGNANCY, age, 13u; blood, 5i, 26i, 86v,
 106k,v; blood vessels, 14u; cpl., 15a, 65b,
 122i; ectopic, 14w, 65q, 108h, 121p,q; heart,
 65p; toxemia, 76b, 103m, -- in cattle, 56o;
 urine, 26-1; vomiting, 98k
 PREPUTIAL GLANDS, 1o
 PRESSURE CHAMBERS, 55v
 PRINGLE, Sir John (1707-1782) 30-1
 PRIONOTUS, 90f
 PROCAINE, eff., 108c; pharmacol., 44s
 PROCTOLOGY, 99q,u
 PROSTATE, cancer, 13p, 104p
 PROTEINS, 57r, 90-1, 103f; chem., 3r, 4c, 49t;
 deficiency, 12h, 33c, 36c, 52a; determ., 6q;
 hydrolysates, 6b, 12g, 66e, 76v; immunity,
 5b; in diet, 12f, 1, 95g,i,j, 102h; metabolism,
 5a; therapy, 46b; vegetable, 95b
 PROTONS, 54p
 PROTOPLASM, 91d,i
 PROTOZOA, 57u, 59f, 89m,p, 91b,p,w; culture,
 92n
 PRURITUS, anal, 1e
 PSITTACOSIS, vaccine, 16e
 PSORIASIS, 10q, 29v
 PSYCHIATRY, 71o, 74o; forensic, 20-1; history,
 39t; in France, 74n; in general practice,
 30i; in industry, 39u; rehabilitation, 63f
 PSYCHOLOGY, in Germany, 78-1; industrial,
 74t; medicine & psychol., 22p; of creative-
 ness, 78s; social, 39b; teaching, 78i,l
 PSYCHOTHERAPY, 39f
 PTERINS, 48w, 95i
 PUBLIC HEALTH, 21n; in Acton, Eng., 50d; in
 Alberta, 50g; in Baltimore, 117s; in Bath,
 Eng., 50-1; in Belgium, 117v; in Bermuda,
 118b; in Birmingham, 118g; in Brazil, 36j;
 in Cattaraugus Co., N.Y., 118j; in Chadder-
 ton, Eng., 118-1; in Cincinnati, 118o; in
 Colorado Springs, 118r; in Cyprus, 119b;
 in Detroit, 119d; in Duluth, 119f; in Durban,
 50n; in East Orange, N.J., 50q; in Egypt,
 119i; in Gateshead, Eng., 119n; in
 Georgia, 27c; in Great Britain, 29b; in
 Kimberley, 50v; in Manchester, Eng., 119g;
 in Middlesex, Eng., 51b; in Morocco, 51d;
 in Northumberland, Eng., 51g; in Notting-
 hamshire, Eng., 51j; in Plymouth, Eng.,
 51-1; in Russia, 79m; in Stockholm, 119s;
 in Sunderland, Eng., 51o; in Warrington,
 Eng., 120h,j; in Worcestershire, Eng.,
 120m
 PUERPERIUM, blood, 108e; cpl., 14k,s,t, 87f;
 physiol., 34n
 PULSE, 35f
 PUPILS, dilatation & contraction, 112w, 114a;
 rigidity, 113q
 PURINE, metab., 103c
 PURPURA, 19c; haemorrhagica, 42u, 100d
 PUTREFACTION, 94g,h,j
 PYELITIS, 66h
 PYELONEPHRITIS, in animals, 87i
 PYEMIA, 20h
 PYLORUS, hypertrophy & stenosis, 43r, 115r;
 pharmacol., 62b
 PYORRHEA ALVEOLARIS, prev. & control,
 66m
 PYRIDINE COMPOUNDS, 77h; eff., 49j
 PYRIDOXINE, deficiency, 5-1, 6p
 PYRIMIDINE COMPOUNDS, 35j
 PYROGENS, 104c
 PYRROLIDIN, 46o
 QUAKERS, 39t
 QUINACRINE, eff., 4r, 17k; metabolism, 25h;
 therapy, 46w, 63n; toxicity, 32m
 QUINIDINE, eff., 60a
 QUININE, prep., 45e; therapy, 16i, 17n
 RABBIT HOLDERS, 34d
 RABIES, prev. & control, 120q

- RADIATIONS, 54e; eff., 20c, 92d; injurious eff., 16r
 RADIOACTIVITY, 54j, q, 103p; therapy, 67k
 RADIO-COUNTERS, 54f
 RADIOLOGY, 54p, 72g; in general practice, 65m
 RADIOMANOMETERS, 61g
 RADIOTHERAPY, 23r, 24v, 76j, o; adjuvants, 63q; contact, 54a; in ophthalmology, 76p; in otolaryngology, 76o
 RADIUM, chloride, 54j; therapy, 61s, 62m, 100m
 RADIUS, fractures, 29i
 RADON, therapy, 16r
 RAGWEED, 1e, 67m
 RAT PNEUMONIA, 101j
 RATS, erad., 33n
 RAYNAUD'S DISEASE, 10m
 RECEPTORS, chemoreceptors, 92v
 RECORDS, dental, 72w
 RECRUITS, 72m
 RECTUM, blood resorption, 69m; cancer, 54a; dis., 61v, 62a, g, 99q, u; hemorrhage, 69m; stricture, 62d, 81n; surgery, 69q; wounds & injuries, 61s
 REFLECTOR RACKS, 11u
 REFLEX, 40h; ocular, 40h
 REFRACTIVE INDEX, 110w
 REFRACTOMETRY, 71d
 REFRIGERATION, 79f
 REHABILITATION, 30p, 63e, h, 68t, u, 73a, 75u, 85i; psychiatric, 63f
 REITER'S DISEASE, 16f
 RELAPSING FEVER, therapy, 109u
 RELAXATION, 34-l
 RELAXIN, 13i, 34m
 REPRODUCTION, 35i, 90m
 RESEARCH, MEDICAL, 12r, 37m; institutes, Australia, 23o
 RESINS, 105m
 RESPIRATION, 89s, 90e; artificial, 2j, m; breathholding, 25-l, m, o; experimental studies, 49s; hyperpnea, 32d; in fishes, 90u; physiol., 90f
 RESPIRATORY TRACT, dis., 18p, 19h, 29k, 52w, 104i, 111w; hemorrhage, 97n; tumors, 42s
 RESUSCITATION, 2j
 RESUSCITATORS, 15d
 RETINA, blood supply, 19k, 113v, 114e, n; degeneration, 114o; detachment, 20u, 111k; physiol., 113u; pigments, 90r; surgery, 114u; tumors, 107f, 114i, 116v
 RETINOCHORODITIS, 113q
 RETROPERITONEAL REGION, tumors, 80m, 82p
 RHEUMATIC FEVER, 37v, 97q; cardiac cpl., 23u, 59r, 104-l; diagn., 31e, 103w; manifestations, 43s; therapy, 102e
 RHEUMATISM, 53u; etiol. & pathogen., 61g; eyes, 113c; lungs, 24b; therapy, 113c; tuberculosis, 86e
 RHINITIS, etiol. & pathogen., 32e; vasomotor, 65g, 115-l
 RHUS, toxicity, 1g
 RIBOFLAVIN, 3o, 12-l, 19v, 94k; deficiency, 87g, --in animals, 56m; eff., 114u; metabolism, 95h
 RICKETTSIA, 53h; burneti, 35n
 RICKETTSIAL DISEASES, 24-l; transmission, 53h
 RICKETTSIALPOX, 52u, 53h
 RIEDEL'S LOBE of liver, 26a
 RINGWORM, 44d
 ROCKY MOUNTAIN SPOTTED FEVER, therapy, 117j
 ROENTGEN RAYS, 38f, 54b, e; a partus, 73h; diagn., 54c, 60v, 62i, 80t, 111r, --in dentistry, 93w; eff., 49o, 90i, 91i, 92b, d; elastic radio-opaque material, 1q; fluoroscopy, 52r, 73g, h; injurious eff., 80r
 ROENTGENOLOGY, 97k; history, 80s
 ROENTGENOTHERAPY, 54p; in dermatol., 53w; in ophthalmol., 113j; indications, 22-l; tele-roentg., 121r
 RUBBER GOODS, storage, 73v
 RUBELLA, maternal, 115s
 SACCHARIDES, 16h
 SACCHARIN, determ., 45d
 SACROCOCYGEAL REGION, tumors, 82b, --in animals, 87n
 SALICYL COMPOUNDS, acetylsalicylic acid, 104-l; eff., 20a, 103d, w, 104f; therapy, 10a; toxicity, 48i
 SALMONELLA, 94e, s; culture, 57p, 58-l; dublin, 125d; infections, 37p; orientalis, 72s; pullorum, 123t
 SALTS, haliphagia, 43c; solutions, 35n, 81r, 103j
 SALZMANN'S DISEASE, 112-l
 SARCOIDOSIS, 10r, v, 11c, 73s; etiol. & pathogen., 23b
 SARCOMA, 1s, 37h, 82b, 114q, 115i; fibrosarcoma, 11m; Kaposi type, 11h; liposarcoma, 54s; lymphosarcoma, 42n; therapy, 20j
 SARCOSINE, 5v
 SCABIES, therapy, 107v
 SCAPULA, tumors, 117h
 SCARLET FEVER, therapy, 64s, 73m; toxin, 35m
 SCHISTOSOMIASIS, 51r; cpl. & seq., 36h; diagn., 42p, 73r; epidemiol. & statist., 51r, s; immunity, 51u; prev. & control, 52o; therapy, 36d, 51t
 SCHOOLS, medical service, 28t
 SCHOOLS, MEDICAL, Connecticut, 66c; history, 90-l
 SCHREUS METHOD, 11h
 SCIENCE, 29k; history, 62v
 SCLERODERMA, 10n, 29o
 SCLEROSIS, disseminated, 40d; tuberous, 10u
 SCOTCH TAPE, allergy, 111o
 SCURVY, 5h; adenals, 5s
 SEBACEOUS GLANDS, 1m; cysts, 114n
 SEBORRHEA, in animals, 123r; therapy, 9t
 SELLA TURCICA, tumors, 27g
 SEMEN, 87e; chem., 13h; metabolism, 3s
 SEMINAL VESICLES, growth & development, 20e
 SENN, Gustav, 62v
 SENSATION, 91a; chemical, 90f
 SEPTICEMIA, 85a; therapy, 75j, 109k
 SERINE, toxicity, 104d
 SEROTHERAPY & HEMOTHERAPY, auto-genous, 61a
 SERUM, 103f; immune, 35o, 104m
 SEWAGE, 79j
 SEX, genetics, 95o; in animals, 124d; in literature, 99j; perversion, 28w, 29q; physiol., 108k
 SHAKESPEARE, 22u, 44t
 SHEEP, breeding, 124b; feeding, 20b; parasites, 123r
 SHOCK, 67c; blood circ., 101u, 103s; blood vessels, 105a; etiol. & pathogen., 88w, 107r, 108d; experimental, 25p; nursing care, 75t; prev., 108c; surgical, 107s; therapy, 89g, 81r, 109p
 SHOOTING GALLERIES, hygiene, 79u
 SHOULDER, calcification, 80o; dislocations, 20k, 80o
 SICCOPGIN, 71h
 SIGMOID, cancer, 62d, 69k
 SILKWORMS, dis., 59c

- SIMULIIDAE**, 96k, l
SINUSES, NASAL, 115m; dis., 29t, 99g, 112a
SKIN, abnorm., 10t; anat. & histol., 1m, 89f; atrophy, 10s, 11a, f; blood supply, 11c, 77f; cancer, 9u, 10s, 11i; dis., 10a, 29c, 64v, -- in infants & children, 43q; metabolism, 4c, 10b; pathol., 33p; permeability, 17i; transplantation, 1m; tuberculosis, 10p, 86s, 96u; tumors, 9u, 10u, 17e; wounds & injuries, 4c, d, 11n, 75j
SMALLPOX, vaccination, 78v
SNAILS, 89-1
SNAKES, bites, 47w, 81p
SOAPS, 49r; allergy, 10h
SOCIETIES, DENTAL, Am. Ass. Endodont., 60k
SOCIETIES, MEDICAL, Am. Med. Ass., 67m; International, 106h; Med. Women's Internat. Ass., 24s; Sao Paulo, 36p
SODIUM, azide, 91w; chloride, 35n, 101q, 110r; determ., 26p; toxicity, 47j
SOIL, 95b, c, d; bacteria, 57o
SOLVENTS, 5m, 92q
SOUP, 80e
SOYBEANS, 33d, 94m, n
SPASM, therapy, 63o
SPECIALISM, 86t
SPECIES, 90g, l
SPECTRUM ANALYSIS, 41k
SPEECH, defects, 72w, 115u; visible, 42g
SPERANSKY METHOD, 99p
SPERMACEIT, 44h
SPERMATOZOA, chem., 49o; development, 92i; eff. agts., 89k; metabolism, 90p, q
SPHENOPALATINE SYNDROME, 68h
SPHINCTER MUSCLES, Oddi's, 61h, i, k; pharm., 62b
SPICES, 44j
SPINAL CANAL ROENTGENOGRAPHY, 67r
SPINAL CORD, embryol., 93a; physiol., 40g; surgery, 121w; tumors, 59i, 96p, q, 103a
SPINE, ankylosis, 64p, 80n; dis., 53u, 54b; dislocations, 83b; fractures, in infants & children, 117c; intervertebral disks, 67u, 102j; osteomyelitis, 20h; tuberculosis, 86m; tumors, 40c, 44a
SPIROCHETOSIS, 24p; icterohaemorrhagic, 25q; in turkeys, 56r
SPLEEN, calcification, 121a; hypersplenism, 18k; pathol., 17m; rupture, 18h
SPLENECTOMY, indications, 70e
SPLENOMEGALY, 17q, 117n
SPLINTS, 88s, 124r; veterinary, 124v
SPRUE, 29f; therapy, 103t
SPUTUM, exam., 1j
STADER SPLINT, 88s, 124r
STAINS & STAINING, 1s, 11t, 12a; vital, 113g
STAPHYLOCOCCI, 58e; aureus, 38k, 57q; cult., 15u; infections, 27d, 54b, 68p, -- in animals, 87s; resistance, 35n
STARVATION, 91c
STERILITY, 69n; etiol. & pathogen., 37i, k, -- in animals, 124d
STERILIZATION, surgical, 109o
STEROIDS, 7b, 34b; determ., 3k, l
STILLBIRTHS, 68d, 75f
STIMULATORS, 35v
STOMACH, bacteriol., 84f; cancer, 18m, 28f, 59-1, 61t, 62j, 82a, s; eff. drugs, 31-1; exam., 59-1, 62b, 103e, 105i; hernia, 80m, 121-1; infl., 12q; mucosa, 106p; pancreatic nodule, 80-1; perforation, 82q; pharmacol., 62b; physiol., 35e, 105f; secretion, 11s, 62j, 108f; surgery, 61e, 62j, x, 66j, 82m, 121u; tumors, 61u; vulvulus, 121-1
STOMATITIS, in cattle, 124p
STOMATOLOGY, 8g
STORMONT TEST, 88d, e
STRABISMUS, 41g, 43m, 114b, s; therapy, 41c, d, e, 113a
STREPTOGENIN, 57r, 95i
STREPTIN, 57s
STREPTOCOCCI, 3p, 16h, 80a, 93w; agalactiae, 56q; culture, 34u; hemolytic, 73c, 104i; immunity, 33s; infections, 19h, 101r; typing, 72k; viridans, 63p
STREPTOMYCIN, 37d, 103n; eff., 35a, n, 57-1, t; therapy, 32j, 65u, 73n, 74f, -- in dentistry, 60r; toxicity, 103o
STREPTOTHRICIN, pharmacol., 77f
STRESS, physiol., 104o
STRONGYLOSIS, immunity, 52a
STRYCHNINE, eff., 77i
SUBCUTANEOUS TISSUE, 89f
SUBTILIN, 110n; therapy, 33n
SUICIDE, 107h
SULFADIAZINE, eff., 101r; therapy, 12t, 73m
SULFAMETHAZINE, 33i
SULFATHALIDINE, eff., 33f
SULFAZIDE, 23n
SULFHYDRYL COMPOUNDS, 4, e, f; eff., 77s; metabolism, 4b; pharmacol., 77n; therapy, 77s, t
SULFIDINE, toxicity, 71g
SULFITES, toxicity, 77g
SULFONAMIDES, 36s, 46b; eff., 61, 16d, 69i, 106p; pharmacol., 46k; prep., 17i, 97v; therapy, in dermatol., 97v, -- in gynecol. & obstetrics, 14r, 69j, 97t, -- in pediatrics, 116a, -- in urology, 97c; toxicity, 23i, 71f, g, 98b
SULFONES, eff., 55m, n
SULFOXIDES, 6t
SULFUR, metabolism, 4g, 5a, c, d, u, 19w; pharmacol., 45a, b, c
SUNSPOTS, 43g
SURGERY, 27o, 28a, 29v, 83g; blood, 17r, 25i; history, 8t, 109c; in aged, 75i; postoperative care, 28n, 65i, 81i, j; postoperative cpl., 28k, 103i; preoperative care, 28n, 81i, j; veterinary, 56n, 124w
SUTURES, 62k
SWEAT, 7a
SWEAT GLANDS, 25r; chromidrosis, 1e
SWINE, dis., 35p, q, 56h
SWINE PLAGUE, prev. & control, 123n
SWING SICKNESS, 36a
SYMPHYSIS PUBIS, relaxation, 34-1
SYNOSTOSIS, talonavicular, 69s
SYPHILIS, congenital, 76f, 116g; diagn., 64v; in Negroes, 123e; pregnancy, 68d; serodiagn., 15r, 74e; therapy, 11h, 23h, 36u, 63u, 67-1, 102v, 116g; untreated, 123d, e
SYRINGES, 46a
SYRUPS, 20q
TABES DORSALIS, gastric crises, 121w
TANNIN, eff., 91i
TANTALUM, 93a
TAPEWORM, penetration glands, 91m
TAPEWORM INFECTION, -- in animals, 125a
TASTE, 90f
TEETH, bacteriol., 60-1; caries, 7j, l, v, 8i, 12i, 15q, 49f, 53k, 116m; development, 93s; diet & health, 12i, 93u; dis., 9g, 60r; extraction, 7w; pigments, 34i; prostheses, 7g, r, 8d, 74f, 93v, w; pulp, 7n, t, 60p, 93r; roentg., 93w; root canals, 60q, 93r, 105m
TEMPERATURE, eff., 92n; oral, 101h
TEMPERATURE, BODY, 33o, 48f
TEMPORAL BONE, 113d, 115n

- TENDONS, wounds & injuries, 124r, -- in animals, 88s
- TESTES, anat. & histol., 100u; growth & development, 20e
- THEOPHRASTUS, 62u
- THEOPHYLLINE, 98o; eff., 17d
- THERAPEUTICS, 64v, 83g
- THERMOINDICATORS, 110h
- THERMOTHYRIN, 107u
- THIAMINE, 3o, 19v, 94k, 111w; deficiency, 20a; eff., 57k; sources, 45g
- THIGH, dis., 75q
- THIOCYANATES, 101s, t; eff., 14c
- THIOPYRIMIDINES, eff., 58h
- THIOURACIL, therapy, 18d, e, 27u, 102d, 104v; toxicity, 17h
- THIOUREA, eff., 35g; toxicity, 33n
- THORAX, surgery, 1w, 361, 82s; tumors, 82e; wounds & injuries, 74c, 109s
- THTOAT, hemorrhage, 97n
- THROMBIN, formation, 111b
- THROMBOANGIITIS, obliterans, 22-1, 68g
- THROMBOPHLEBITIS, 36w; therapy, 14t
- THROMBOPLASTIN, 6-1
- THROMBOSIS, 42u, 67i; cavernous sinus, 98u; cerebral, 19s; coronary, 19s, 104t; etiol. & pathogen., 17o, 19s, 57h; prev., 60h, 103i, 114w; retinal, 114w; therapy, 27r, 47v
- THYMUS, physiol., 5-1
- THYROID, aberrant, 121k; cancer, 67k, 73j; eff. removal, 34-1, 121k; hyperthyroidism, 18d, e, 22-1, 63-1, 64d, 102c, d, 106t; hypothyroidism, 64s; physiol., 13d, k, 16q, 17k, 107g, u; surgery, 102d
- THYROXINE, eff., 3q, 34-1
- TICK PARALYSIS, 117k
- TICKS, 87s
- TILT TABLE TEST, 2n
- TIN, therapy, 24b
- TISSUE, chem., 1o, 4k, w, 6r, 13h, 38f; connective, 69m, 89f; culture, 4k, 106w; digestion, 105f; respiration, 92g; sections, 12a
- TOMATIN, 58k
- TONGUE, foreign bodies, 80p; tumors, 82b
- TONGUE-PRINTS, 19k
- TONSILS, tuberculosis, 98i
- TOOTHACHE, 60n
- TORULIN, catatorulin, 110w
- TOXIN & ANTITOXIN, 35m, 55r, 98j, k
- TRACHEA, tumors, 32o, q, r, s
- TRANSAMINASE, 6c
- TRAUMA, 2g, 74e
- TREMATODES, 85c
- TRIAZINES, 77e
- TRICHINOSIS, 73p
- TRICHOMONIASIS, in animals, 87h, u; vaginal, 98c
- TROMBIDIUM, 3e
- TROPICAL MEDICINE, 2t, 67p, 70b
- TROPICS, hygiene, 52c
- TRYPANOSOMA, 49s
- TRYPANOSOMIASIS, 21s; experimental, 33k
- TRYPTOPHANASE, 4r
- TSUTSUGAMUSHI DISEASE, diagn., 35n
- TUBERCLE BACILLI, 55e, m, n, 108u; cult., 35h; viability, 35a; vole bacilli, 88g, 122v
- TUBERCULIN, 85a, 88a, 122v, 123p, eff., 55r
- TUBERCULOSIS, 85k; allergy, 55q, 84n; atypical, 85p; blood, 84g, v, 193g; Calmette Guérin immunization, 84s, u, 85w; cpl. & seq., 55f, 84p, 86f, 121a; diagn., 56b, 84f, 85b, 100r, 103g; epidemiot. & statist., 23d, 55g, h, 56c, 84e, i, 85e, f, 86a; etiol. & pathogen., 23b; familial, 122q; immunity, 122v, -- in animals, 88g; in armed forces personnel, 73e; in Indians, 55h; in children, 84n, 85o; in Japanese, 55g; in sanatorium personnel, 55j; industrial & traumatic, 84t, 85e, 86a; institutes, -- Moscow, 84k; Landouzy's, 100r; latent, 84q; nursing care, 75m; nutrition, 18u; osteoarthritis, 86e, i, j, m; pathol., 55h, 63v, 84v; pregnancy, 55-1, 75r, 86p; prev. & control, 21k, 52q, 84a, n, t, 120u, v; primary of adults, 85m; rehabilitation, 63i, 99k, 123a; sanatoriums, 72v, 84b, 85i, 122n; specialization, 86t; surveys, 55i, j, k, s, 70d, 120v; therapy, 35a, h, 55d, e, f, m, n, o, q, u, 85h, 86n, 98v, 108u; tuberculin reactions, 55r, 84n, 85a, 86d, 88a, 121a, -- in animals, 88d, e
- TUBERCULOSIS, PULMONARY, artificial pneumothorax, 83s, 84a, c, r, 85q; cavitation, 83w, 85t; cpl. & seq., 84m, o, 85u, 86s; domicile problem, 122t; etiol. & pathogen., 68a, 120w; hemoptysis, 22a; pathol., 84v; psychosomatic asp., 56a; roentg., 23h, 107-1, 120v; surg. ther., 36i, 76e, 83d, r, t, u, v, 85r, t, 122w; therapy, 55v, 66v, 86d, u, v
- TULAREMIA, 65j; bacilli, 33j; cpl. & seq., 18h
- TUMORS, 71k; adenoma, 32o, q, r, s, 72o, 105s; angioma, 40b, 121s; angiomatoma, 114c; cholesteatoma, 117k; chordoma, 27g, 82b; cylindroma, 32o, q, r, s; cystadenoma, 65o; endothelioma, 56c; experimental, 93h; fibroma, 124j; glioma, 74u, 107f, 116v; in animals, 87n, 124j; lipoma, 37i, 61c, 80m, 103a; lymphoma, 31h; metabolism, 93g; metastases, 42s; myeloma, 27k; osteochondroma, 117h; polypl., 43s, 72o; schwannoma, 115-1; spongioblastoma, 74u; teratoma, 14v, 44a, 117c, -- in animals, 87n
- TUNICATA, 89j
- TURKEYS, dis., 56r
- TURNIPS, 94-1
- TURNABLE FRAME, 73i
- TYPHOBACILLOSIS (Landouzy) 100r
- TYPHOID, 18o; epidemiot. & statist., 48r; in pregnancy, 65b; pathol., 66m; therapy, 24b
- TYPHUS, 24-1; antiserum, 35o; immunity, 52b
- TYROSINE, 5o, p; eff., 34o
- TYROTHRIN, 45k, 46a
- UDDERS, infl., 56q, 88m, n, q, 124-1, o
- ULCERS, etiol. & pathogen., 103m; therapy, 28g, 99-1
- ULTIMOBANCHIAL BODY, 89e
- ULTRAVIOLET RAYS, 38f; eff., 20c, 89k, 90t, 111g
- UMBILICAL CORD, prolapse, 14s
- UNDULANT FEVER, epidemiot. & statist., 27c; lungs, 22j; social asp., 36n
- URANIUM, toxicity, 34f
- URANYL nitrate, 90q
- UREA, 6r, 23n
- UREMIA, experimental, 34g
- URETERS, surgery, 65-1
- URETHRA, abnorm., 117h; anat. & histol., 100i; infl., 16f, 122j
- URINARY TRACT, dis., 36k; calculi, in animals, 124w; infections, 48a
- URINATION, incontinence, 82s
- URINE, ascorbic acid, 12k, 18u; chem., 4v, 26-1; creatine, 5f; cystine & cysteine, 19w; extravasation, 101k; fluorescent substance, 26n; hormones, 13g; reaction, 30f; steroids, 3k, 28e, 100v; sulfur, 19w; suppression, 67f, 68b
- URTICARIA, etiol. & pathogen., 33p; papulosa, 44c; pigmentary, 11k; therapy, 11, 20p
- UTERINE GLANDS, 92j
- UTERUS, cancer, 24v, 69j, l, 121i; displacements, 15c; excision, 23v, 69v, 122j, -- in animals, 88g; hemorrhage, 14j, 25w, 37j, 68v, 76f, 88g; myoma, 37k; physiol., 14i; prolapse, 82r, -- in cattle, 37k

- 56n; pyometra, in animals, 124h; rupture, 98n, 108h; surgery, 98r; tumors, 37h, 61c
- VACCINES, 53d, 56h
- VACCINIA, virus, 19t
- VAGINA, physiol., 13g; tumors, in animals, 124j
- VAPORIZATION, 91-1
- VARICOSE VEINS, therapy, 99-1
- VASOMOTOR SYSTEM, eff. drugs, 77f
- VEINS, jugular, 40q, 107o; pulmonary, 103q
- VENEREAL DISEASE, in armed forces personnel, 100c; prev. & control, 36v
- VENOMS, 81p
- VERTIGO, 67f; laryngeal, 38u
- VESICATION, 4c, d
- VETERANS, medical care, 66b, 68u
- VETERINARY MEDICINE, 56-1; military, 56k; ophthalmology, 124h; pathology, 123u; surgical technic, 56n
- VIBRATION SENSE, 63r; measurement, 63r
- VIRUSES, 19t, 108w; culture, 16e, 33d, 38h; diseases, 101r, 104c, -- in animals, 33r, 35p, q, 59c; eff. chem. agts., 87-1; Newcastle, 33c; purification, 53j
- VISCERA, 99c; wounds & injuries, 81d
- VISION, 25k, 41a, b, k; acuity, 113u; defective, 41g, o, 115c; field, 111k, n, 112t, 113d, h, 114v; physiol., 90b, 92a; psychol., 41t; stereoscopic, 41b
- VISUAL PIGMENTS, 90r
- VITAL STATISTICS, birthrate, 52n; in Australia, 50i; in Bermuda, 118d; in Connecticut, 118u; in Finland, 119k; in France, 50s; in Morocco, 51d; in Stockholm, 119v; in Tennessee, 120b; mortality, 52n
- VITAMINES, 14m, 18w, 94r, u, w, 99e, 104g, 109w; A, 3t, u, 41, 5h, 6k, 17q, 20b, 95h, 103r, 116q; administration, 24v; allergy, 11-1; B, 4s, 5-1, 18v, 26g, 35i, 59w, 63q, 64b, 94k, r, 99b, 103t; D, 43c, 67b, 96u, 103b; E, 6n, 34i, 44p, 100d; eff., 13e; K, 42t, 48p, 121g; metabolism, 30, p
- VOCATION, guidance, 74t
- VOLE BACILLI, 88g, 122v
- VONEDRINE, 45i
- VULVA, cancer, 11m
- WAR, 72u, 75h; dis., 9g, 28t, 55h, 73e, 84e, 85f; nutrition & food supply, 107d; prisoners, 12j, 18w, 21i, 40r, 55h, 105e; psychological & psychiatric asp., 20-1, 28t, 29r, 74o, 78-1
- WATER, metabolism, 27f, 36i, 38h, 63-1, 68a, 89s; purification, 38i, 79c, q
- WAX, 44n, 103-1
- WEIL-FELIX TEST, 85b
- WELDERS & WELDING, 69f, 101g
- WELTMANN TEST, 103w
- WHOOPING COUGH, immunity, 21b, 115t
- WIDAL TEST, 85b
- WOMEN, 22o
- WOOL, 4m
- WOOL-FAT, 44k
- WORMS, 90n
- WOUNDED, transportation, 66i, 72p, 109h, i, j
- WOUNDS, gunshot, 81g; healing, 72c, 102n; therapy, 21o, 75p
- WRIGHT TEST, 85b
- WRIST, fractures, 36o; tumors, 11m
- XANTHOMA, 39r, 102t
- XYLOL, 92q
- YALE PLAN, 72c
- YEAST, 4r, 18u, 19v, 58r, s, t, 109w; cult., 58m; extracts, 6a; metabolism, 91v
- ZEPHIRAN, 91o
- ZINC, toxicity, 56h
- ZOOLOGY, 62u

PUBLIC LIBRARY

FEB 7 1947

DETROIT

